

Fact Sheet for General Permit for  
Privately Owned Wastewater Treatment Facilities That Treat Wastewater  
From Commercial Carwashes And The Discharge to the Ground Water of the  
Effluent From Said Facilities

## INTRODUCTION

Pursuant to the Massachusetts Clean Waters Act, M.G.L. c. 21, s. 26-53, and the Ground Water Discharge Permitting Program Regulations, 314 CMR 5.00 (the "Ground Water Regulations"), the Department of Environmental Protection (the "Department" or "MassDEP") is issuing a general permit for privately owned wastewater treatment facilities that treat the wastewater from commercial carwashes and the discharge to the ground water of the effluent from said facilities (the "General Permit"). This fact sheet provides the principal facts and the significant legal and policy questions considered in the development of the General Permit for such facilities. This fact sheet also identifies the type of entities eligible for coverage under the General Permit and the procedures for requesting coverage under the General Permit.

## COVERAGE OF GENERAL PERMITS

The Ground Water Regulations, 314 CMR 5.00, establish the program whereby discharges of pollutants to the ground waters of the Commonwealth are regulated by MassDEP pursuant to the Massachusetts Clean Waters Act, M.G.L. c.21, s. 43. In addition to regulating these discharges, the Massachusetts Clean Waters Act, M.G.L. c.21, s. 26 through 53, also requires that MassDEP regulate the outlets for such discharges and any treatment works associated with these discharges. Through the Ground Water Regulations, 314 CMR 5.00, MassDEP regulates the discharge of pollutants to the ground waters of the Commonwealth to protect these ground waters for use as an actual or potential drinking water source and surface waters for their existing and designated uses and to assure the attainment and maintenance of the surface water quality standards, 314 CMR 4.00.

The Ground Water Regulations, 314 CMR 5.13, authorize the issuance of general permits for one or more categories or subcategories of discharges. Pursuant to 314 CMR 5.13, MassDEP may issue a single general permit for a category of facilities whose discharges warrant similar pollution control measures because they:

1. Involve the same or substantially similar types of operations;
2. Discharge the same types of wastes;
3. Require the same effluent limitations or operating conditions;
4. Require the same or similar monitoring requirements; and
5. In the opinion of the Department, are more appropriately controlled under a general permit than under individual permits.

## BASIS FOR THE GENERAL PERMIT

Based on the factors set forth above, MassDEP hereby issues the General Permit. As more fully set forth below, the General Permit is intended to cover facilities that are below the threshold established pursuant to the Massachusetts Environmental Policy Act (MEPA) for requiring an Environmental Notification Form, that discharge effluent to the ground water as a result of the treatment of wastewater solely from commercial carwashes, and that are located outside water supply protection areas and other sensitive environmental areas. These privately owned facilities generally involve the same types or substantially similar types of operation and discharge the same type of wastes. As a result, these facilities require the same type of effluent limitations, operating conditions and monitoring requirements.

MassDEP has determined that operation of such facilities in accordance with all the terms and conditions set forth in the General Permit protects the ground water as a potential source of drinking water and surface waters for their existing and designated uses. By granting coverage under the General Permit to such facilities, the Department can devote less time to permit issuance and more time to monitoring permit compliance. MassDEP has therefore concluded that such facilities are more adequately controlled under the General Permit than an individual permit.

### Eligibility

Privately Owned Wastewater Treatment Facilities that treat wastewater solely from commercial carwashes are eligible for coverage under the General Permit provided that:

- The discharge is from a treatment works that:
  - Discharges effluent consistent with the standards set forth in the general permit; and
  - Does not treat any wastewater other than that produced on the premises.
- The discharge is not located within
  - The Zone I, Zone A, Zone II, or Interim Wellhead Protection Area of a public water supply;

- An area that is outside of the service area of a community public water system;
  - A sole source aquifer;
  - 100 feet of an Outstanding Resource Water designated in 314 CMR 4.00, a Special Resource Water designated in 314 CMR 4.00, a cold-water fishery as defined in 314 CMR 9.02, a bathing beach as defined in 105 CMR 445.000, or a shellfish growing area as defined in 314 CMR 9.02;
  - A nutrient sensitive environmental area as defined in 314 CMR 5.02; or
  - An area where the Department has determined based on a Total Maximum Daily Load or other technical report that more stringent effluent limits than those set forth in the General Permit are required to achieve or maintain compliance with the Massachusetts Surface Water Quality Standards, 314 CMR 4.00.
- .
- The discharger
    - Is an entity listed in 314 CMR 5.15 (1);
    - Pursuant to 314 CMR 5.10(9), is not requesting effluent limits different from those in the General Permit;
    - Has submitted a Hydrogeological Report that has been prepared by a Massachusetts Registered Professional Engineer with a concentration in civil, sanitary or environmental engineering in accordance with the Department's Guidelines and a scope of work approved by the Department and that includes documentation that the discharge is eligible for coverage under the General Permit set forth above;
    - Has applied for and received from the Department authorization to file a Notice of Intent requesting coverage under the General Permit; and
    - Has submitted a complete Notice of Intent requesting coverage under the General Permit.

Requirements for a complete Notice of Intent Requesting Coverage Under the General Permit for Privately Owned Wastewater Treatment Facilities that Treat

## Wastewater from Commercial Carwashes and the Discharge to the Ground Water of the Effluent from Said Facilities.

A complete Notice of Intent includes the following:

- The information concerning Privately Owned Wastewater Treatment Facilities required by 314 CMR 5.15(1);
- A description of the flows and loadings associated with the proposed wastewater treatment facility, documentation that the proposed flow will not exceed the volume specified in the Department's authorization to file a Notice of Intent requesting coverage under the General Permit, that the wastewater treatment facility will discharge an effluent consistent with the standards set forth in the General Permit, and that the facility will not treat wastewater other than that produced on the premises;
- A site plan showing the layout and major components of the wastewater treatment facility designed to provide treatment for the proposed flow, the proximity to public water supply wells, private water supply wells, Outstanding Resource Waters designated in 314 CMR 4.00, Special Resource Waters designated in 314 CMR 4.00, cold-water fisheries as defined in 314 CMR 9.02, bathing beaches as defined in 105 CMR 445.000, shellfish growing areas as defined in 314 CMR 9.02, nutrient sensitive environmental areas as defined in 314 CMR 5.02, and surface waters listed on the most recent Integrated List of Impaired Waters;
- A certification from a Massachusetts Registered Professional Engineer with a concentration in sanitary, civil or environmental engineering that:
  - Construction, operation, and maintenance of the proposed wastewater facility shown on the site plan in accordance with 314 CMR 5.00, 314 CMR 12.00 and the General Permit will enable the discharge to meet all the terms and conditions of the General Permit including without limitation the effluent limits set forth herein;
  - There is no information in the Hydrogeological Report submitted to the Department along with the request for authorization to file a Notice of Intent requesting coverage under the General Permit that would make the discharge ineligible for coverage under the General Permit; and
  - Since the date of the authorization to file a Notice of Intent requesting coverage under the General Permit, there are no changes in the information presented in Hydrogeological Report

that would make the discharge ineligible for coverage under the General Permit.

- A statement from the person requesting coverage under the General Permit that s/he will not appeal a decision denying or granting coverage under the General Permit, and that if coverage is denied, and the person requesting coverage decides to proceed with the discharge, the applicant will apply for an individual permit or coverage under an alternative general permit as directed by the Department;
- A copy of the public notice of the Department's authorization to file a Notice of Intent requesting coverage under the General Permit and the filing of the Notice of Intent that was published in a newspaper of general circulation in the municipality where the discharge is located;
- The permit application fee established by the Department; and
- The signature of a person specified in 314 CMR 5.14(1) along with the required certification.

The Notice of Intent must be sent by certified mail return receipt requested to the Regional Office that issues permits for discharges located within the municipality where the permittee's discharge is located. A copy of the Notice of Intent must be sent to the Program Director, Watershed Permitting, Department of Environmental Protection, One Winter Street, 5<sup>th</sup> Floor, Boston, MA 02108.

A person requesting coverage under the General Permit is authorized to construct the privately owned wastewater treatment facility shown on the site plan and to discharge the effluent from said treatment facility to the ground water in accordance with the General Permit within 45 days of receipt of the Notice of Intent by the Department unless s/he is notified by the Department in writing that additional information is required to determine whether the proposed discharge may be adequately or appropriately covered under the General Permit and/or that s/he is required to apply for an individual permit or to request coverage under an alternative general permit.

## CONDITIONS OF THE GENERAL PERMITS

### A. Statutory and Regulatory Requirements

The Massachusetts Clean Waters Act makes it unlawful to discharge pollutants without a permit.

For dischargers not requesting special effluent limits in accordance with 314 CMR 5.10(9), the Ground Water Regulations, 314 CMR 5.10, provide that

permits for the discharge to the ground of effluent that results from the treatment of wastewater from a commercial carwash at a wastewater treatment facility shall require the effluent to meet the more stringent of the water quality based effluent limitations defined in 314 CMR 5.10(3) and the technology based effluent limitations defined in 314 CMR 5.10(4). To assess compliance with these limits, the Ground Water Discharge Permits issued by the Department identify certain parameters that MassDEP uses to monitor compliance with the more stringent of the water quality based limits and the technology based limits. MassDEP establishes effluent limits for those parameters in accordance with 314 CMR 5.10(3) and (4), and lists these limits as special conditions in its permits. Applying this approach to the category of discharges eligible for coverage under the General Permit, the Department has determined that the following effluent limits shall be listed as special conditions in the General Permit:

Effluent Characteristic	Discharge Limitation
Oil and Grease	15 mg/l
Total Dissolved Solids	1,000 mg/l
Chloride	250 mg/l
Surfactants	1.0 mg/l

## MONITORING AND REPORTING REQUIREMENTS

The dischargers covered by the General Permit are required to submit to MassDEP a monthly discharge monitoring report (DMR) containing effluent and monitoring well data. Monitoring requirements have been established in 314 CMR 5.10(6) and the General Permit. It should be noted that chlorides, surfactants, pH, and volatile organic compounds are required to be monitored both in the effluent and the monitoring wells to evaluate any possible impacts on the waters of the Commonwealth.

## FINANCIAL ASSURANCE MECHANISM REQUIREMENTS

The Ground Water Regulations, 314 CMR 5.10(7A)(1) and 314 CMR 5.15, require that permittees that operate privately owned wastewater treatment facilities establish and maintain a financial assurance mechanism that provides for an immediate repair and replacement account. Consistent with these regulatory provisions, the General Permit requires the establishment and maintenance of this financial assurance mechanism.

## TERM OF THE PERMIT

The General Permit is in effect for a period of five years from the date of issuance.